

Design Options

Creating better shopping environments using Cravo Retractable Roofs



Create a variety of ideal shopping environments with a choice of **clear** or **white** retractable roof coverings.



Clear RC02 woven and coated polyethylene roofs provide high light transmission when roof is closed.




NFPA 701. During extremely hot conditions, closing the roof 85% provides diffused light levels, and provides a comfortable shopping environment with out the need for additional shade.

Modify

Polycarbonate or insulated metal roofs

can be installed on the retractable roof frame to create conventional greenhouse or indoor shopping environments.



Designs that can be customized to **create the look** you want.

- Standard house widths: 24ft, 30ft, 31ft 6 in, 36ft, 41ft 6 in (7.3 m, 9.14 m, 9.6 m, 11 m, 12.80 m)
- Gutter heights: 12 ft, 14 ft, 16 ft, 16 ft, 18 ft
 (3.65 m, 4.2 m, 4.9 m, 5.5 m)
- Maximum wind load: 140 mph (225 kph)
- Maximum snow load: 50 lbs/sq ft (244 kg/sq m)
- Maximum area of roof powered on the motor: 38,000 ft² (3500 m²)
- Roof closing time: 2.5 minutes
- Roof control can be automated or manual
- Structure finish is either galvanized or powder coated





Enhance summertime **shading** or **cooling** and **winter heat retention** with retractable curtain systems.



Create the look you want... with the **comfort** your customers and plants desire.













Cravo Equipment Ltd.

1-888-738-7228 sales@cravo.com www.cravo.com

Creating better environments for people, plants & animals $^{\text{TM}}$